From: Rauscher, Jon
To: Gray, David

Subject: FW: USOR - MCC Stormwater Sample Report

Date: Friday, September 29, 2017 4:11:06 PM

Attachments: Ramboll Environ Sampling Report - MCC East (9-28-17).pdf

This report should replace the three separate files for 200 N. Richey Street.

This report from the PRPs combines the three existing files and has a map of sample locations with a summary table.

From: Josiam, Raji

Sent: Thursday, September 28, 2017 5:14 PM

To: Coltrain, Katrina <coltrain.katrina@epa.gov>; Rauscher, Jon <Rauscher.Jon@epa.gov>; Adams,

Adam < Adams. Adam@epa.gov>

Subject: Fw: USOR - MCC Stormwater Sample Report

Full 200 N. Richey Data storm water samples data package from PRP Group. They suggest we use this for posting on the EPA Harvey Website.

Raji Josiam Remedial Project Manager US EPA Region 6 1445 Ross Ave, Suite 1200, 6SF-RA Dallas, TX 75202

Email: josiam.raji@epa.gov

Direct: 214-665-8529
Fax: 214-665-6660

Superfund: 1-800-533-3508





From: Eric Pastor < eric.pastor@pbwllc.com>
Sent: Thursday, September 28, 2017 5:05 PM

To: Josiam, Raji

Cc: Adams, Adam; Lam Tran; Matt Wickham; Robert Coffman

Subject: USOR - MCC Stormwater Sample Report

Hi Raji -

Please find attached the complete report (including sampling description, data table, validation

report and lab reports) for the samples collected from the Chlorine Contact Tank and Lift Station No. 1 at the MCC East property after Hurricane Harvey. I thought this report might be helpful to you (and potentially useful to post) since it includes all the information for these samples and puts the sample data in context in the summary table.

Please let me know if you have any questions or comments.

Thanks.

ERIC F. PASTOR, P.E. PRINCIPAL ENGINEER

2201 DOUBLE CREEK DR., SUITE 4004 ROUND ROCK, TX 78664 0 512.671.3434 C 512.750.9582 eric.pastor@pbwllc.com



+++++CONFIDENTIALITY NOTICE+++++

This e-mail and the information contained herein may be confidential and/or protected by the attorney-client, work product or other applicable privilege. This e-mail is intended to be reviewed only by the individual or organization named above. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination, or copying of any portion of this e-mail, and/or any attachments, is prohibited. If you have received this e-mail in error, please immediately notify the sender by return e-mail and delete this e-mail from your system. Thank You.